

MEDIUM GRADE (202)

We are a manufacturer of reclaimed rubber in Medium Grade Size (202) grade. Reclaimed rubber has a capacity to replace virgin (raw) rubber upto 30-60% and subsequently lower downs the product cost. We are proud to introduce Oil & Chemical free reclaim rubber.

WHOLE TYRE RECLAIMED RUBBER

CHEMICAL PROPERTIES

ASH CONTENTS	%	8 +/- 2
ACETONE EXTRACT	%	14 +/- 2
CARBON BLACK	%	26 +/- 2
RUBBER CONTENTS	%	50 +/- 5

PHYSICAL PROPERTIES


HARDNESS (SHORE A)	55 +/- 5
TENSILE STRENGTH (KG/CM)	45 min
ELONGATION @ BREAK %	250 min
MOONEY VISCOSITY	30-50

ADVANTAGE

- Faster mixer cycle.
- Improved die swell.
- Reduction in consumption of electric power.
- Practically no reduction in hot air ageing properties.

APPLICATION

- Bicycle tyres.
- Footwear sole.
- Conveyer and industrial belts.
 - Q tyre flap.
 - Rubber sheets.
- Battery containers.
 - Car matting.
 - Moulded goods.



Registered Office :

Aruna Enterprises

A-11, Industrial Area Aligarh Road

Hathras(U.P)

Contact No :9997803662

Mail ID :arunaenterprises46@gmail.com